

Kawasaki Robotics K-PALL



The Compact Palletizing Cell by Kawasaki Robotics

Automation has never been easier:

Everything you need in the smallest space: K-PALL from Kawasaki Robotics, with its extremely compact and lightweight design, is one of the smallest and at the same time most powerful palletizing cells on the market.

Modern technology, clever design and intuitive operation make K-PALL your optimal first step into the automation of your palletizing tasks.

Plug & play and ready-to-use:

K-PALL is easy to transport and set up - so you benefit from maximum flexibility!


Easy to integrate: The stand-alone K-PALL solution is compatible with a wide range of systems and can also be easily integrated into existing production chains with little planning effort.

Speed counts: K-PALL not only offers extremely short cycle times and can be delivered quickly, but can also be learned and operated with very little time required!

Maximum performance thanks to high-end robotics: A Kawasaki palletizing robot of the proven R series provides the necessary performance, speed and precision at the core of the K-PALL cell.









Our Intuitive Plug & Play Solution

The features at a glance - palletizing with K-PALL is this easy:

- Choose and get started: We set up packing patterns for you according to your wishes. K-PALL Control makes it possible.
- Full flexibility: With the pre-installed Multipack software, new and individual pack patterns can be easily created
- Intuitive and easy to navigate: The simple operation is made possible by the large touchscreen display.

- Minimal effort: With digital commissioning via e-learning, setup is completed in no time.
- Quick support: System-supported troubleshooting provides direct and precise help in the event of problems.
- Predictive maintenance: The realtime monitoring of the machine status can reduce downtimes to an absolute minimum.

Tailored to your Needs

Available Options		
Robot Type	RS010N	RS020N
Maximum Payload (kg)	10	20
Maximum Reach (mm)	1.450	1.725
Controller	F60	E01
Cubic-S	✓	✓
Base Frame (LxBxH in mm)	2.000 x 1.900 x 2.015	2.000 x 1.900 x 2.015
Maximum Block Packing Height (mm)	1.400	2.000
Maximum Cycles per Minute	25	20
Maximum Package Size (LxBxH in mm)	400 x 300 x 300	400 x 300 x 300
Minimum Package Size (LxBxH in mm)	150 × 150 × 100	150 x 150 x 100
Length of Feeder Belt (mm)	2.000	2.000
Vacuum Gripper by PIAB	✓	✓
Touchscreen 21.5"	✓	✓
Software K-PALL Control	✓	✓
Multipack Software	✓	✓
Shipping (within Germany)	✓	✓
First Maintenance incl. Grease, Batteries and Brake Check	✓	✓
License TREND Manager (one year)	✓	✓
TREND Manager Analysis (after one year)	✓	✓
Continous Real Time Monitoring (Internet Connection Required)	✓	✓
Easy Setup via E.Learning	✓	✓

Additional Options and Modifications Available .



Andreas Bettenbrock

Senior Sales Engineer Kawasaki Robotics EMEA



K-PALL@kawasakirobotics.de



We always have the right solution for you.

Talk to us!

Kawasaki Robotics

EMEA Headquarters

Kawasaki Robotics GmbH

www.kawasakirobotics.de Im Taubental 32, 41468 Neuss, Germany Tel.: +49-2131-3426-0 Fax: +49-2131-3426-22

Local Presences

Kawasaki Robotics Frankreich

www.kawasakirobotics.de/fr PA de la clé St Pierre, 78990 ELANCOURT, France Tel.: +33-6 31 27 43 41 Fax.: +33-6 31 27 43 41

Kawasaki Robotics (UK) Ltd.

www.kawasakirobotics.de/en Unit 4 Easter Court, Europa Boulevard, Westbrook Warrington Cheshire, WA5 7ZB, United Kingdom Tel.: +44-1925-71-3000 Fax: +44-1925-71-3001

Kawasaki Robotics Central Eastern Europe Hub

www.kawasakirobotics.de/pl 3 Feliksa Wrobela Street 30-798 Cracow, Poland Tel.: +48 663 890 123

Kawasaki Robotics Iberian Hub

www.kawasakirobotics.de/es GI-2162 (Zarautz - Urdaneta), E-20809 AIA (Gipuzkoa), Spain

Tel.: +34 943 140 139

Kawasaki Heavy Industries Russia LLC (KHI- Moscow)

http://robotics.kawasaki.com Office 1206, entrance 3, 12 Krasnopresnenskaya emb., Moscow, Russian Federation 123610 Tel.: +7-495-258-2115 Fax:+7-495-258-2116

Kawasaki Heavy Industries Middle East FZE (KHI-ME)

http://robotics.kawasaki.com Dubai Aiport Free Zone, Bldg. W6, Block-A, Office No. 709, PO BOX 54878, Dubai UAE Tel.: +971-(0)4-214-6730 Fax:+971-(0)4-214-6729